





Data sheet

A device for playing outdoors Made based on the standard PN-EN 1176-1:2017-12

Manufactured in Poland

Technical data

- Device size: 7,13x 3,53 m
- Total height: 3,61 m

- Impact area dimensions: 11,13 x 6,53 m

- Impact area: 50,81 m²

- Free fall height (HIC): 1,50 m

- Age: 3+











Device and impact area dimensions



Height



Material specification:

Construction: steel profile 80 x 80 mm, galvanized and powder coated

Bars / ladders: pipe 26,9 mm galvanized and powder coated

Slide: stal nierdzewna

Platform: stainless steel and weatherproof non-slip HDPE

Barriers: weatherproof HDPE Roof: weatherproof HDPE

Lines: polypropylene with steel core

Connections: stainless steel
Fireman's pole: stainless steel
Tube: polypropylene
Applications: weatherproof HDPE
Wall: weatherproof HDPE

Anchor: devices permanently anchored in the ground on a concrete foundation of

Impact attenuating surface: min. C20/25, 60 cm below the ground level

It is required to make one of the impact attenuating surface:

Grass

Sand -0.2 - 2 mm grain size, depth min. 300 mm, Gravel -2 - 8 mm grain size, depth min. 300 mm, Bark -20 - 80 mm particle size, depth min. 300 mm, Woodchips -5 - 30 mm particle size, depth min. 300 mm, Other materials and other depths as tested according to EN 1180