



Data sheet

A device for playing outdoors
 Made based on the standard
 PN-EN 1176-1:2017-12

Manufactured in Poland

Technical data

- Device size:	1,34 x 6,09 m
- Total height:	2,14 m
- Impact area dimensions:	4,32 x 9,11 m
- Impact area:	34,74 m ²
- Free fall height (HIC):	1,20 m
- Age:	3 +



Set contains:


3 platforms
 climbing wall
 arch entrance

slide
 applications gears
 excavator theme


bulldozer theme



Device and impact area dimensions



Height



Material specification:

Construction:	steel profile 80 x 80 mm stainless steel
Bars / ladders:	pipe 26,9x2,9 mm stainless steel
Slide:	stainless steel
Platform:	stainless steel and HPL
Barriers:	weatherproof HDPE
Connections:	stainless steel
Applications:	weatherproof HDPE
Wall:	weatherproof HDPE
Anchor:	devices permanently anchored in the ground on a concrete foundation of min. C20/25, 60 cm below the ground level

Impact attenuating surface:

It is required to make one of the impact attenuating surface:

Grass

Sand – 0,2 - 2 mm grain size, depth min. 300 mm,

Gravel – 2 - 8 mm grain size, depth min. 300 mm,

Bark – 20 - 80 mm particle size, depth min. 300 mm,

Woodchips – 5 - 30 mm particle size, depth min. 300 mm,

Other materials and other depths as tested according to EN 1177

