

Data sheet Karta katalogowa Scheda di dati Fiche Technique Datenblatt

EN Training effect:

Strengthening of several major muscle groups: upper limbs, thighs and abdomen and back. Careful execution of exercise helps to maintain the correct posture. It works preventively to undesired curvature of the spine.

How to use:

1. Lean hands on supports, back into the machine. Grasp the handles. Thighs horizontally, vertically calf. Pull the legs to the trunk and then leave.

2. The same exercise, do with straight legs arranged horizontally (version much more difficult).


A total safety and funcionality of equipment can only be kept when the inspections are made on regular basis. A subject of control should be potencial damages and use. Always observe the maintance and instalation guide.

This device is designed for people over 1.4 m tall.

For single person use only. Maximum user's weight 120 kg.

Made followed the PN-EN 16630:2015-06 norm

Made in Poland



1000



Maintenance manual Instrukcja konserwacji Manuel de maintenance Manuale di manutenzione Wartungshandbuch

EN A inspection is carried out as follows:

Routine inspection:

Visual inspection device is intented to detect visible damage and risks that could arise for reasons such as: misuse, vandalism or weather conditions.

NOTE 1 For outdoor fitness installed in areas with intensive use of equipment, and also in areas characterized to frequent damage caused by vandalism, may be required daily inspection.

NOTE 2 During the inspection routine and operational should pay attention to: cleanliness, level ground state of the ground, exposed (mobile) foundations, sharp edges, missing parts, excessive used (mobile and disperse the parts), structural strength of construction.

Operational control:

More accurate than a routine inspection of facilities for checking the functionality and stability of exercise equipment. You should do this every 1 to 3 months according to guidance of manufacturer

Main annual inspection:

Control of defining the overall condition for safe exploating of equipment (main annual review).

NOTE 3 Main annual inspection may need to dig or decompose (spin) of individual equipment or their parts.

The annual inspection should be performed by the manufacturer or an authorized repairer Outdoor Fitness Center. Submissions annual inspection the following address: fitness@outdoorfitness.pl


Failures

In the absence of damage or exploating of the device must be immediately replaced or repaired. If this is not possible, secure the unit before use. Contact the site Oudtoor Fitness Center: fitness@outdoorfitness.pl.

Use only original spare parts. Repair and replacement of parts may only make the manufacturer or its authorized representative.







OVER 1000 Projects

Rycerska 3 st, 83-050 Bakowo, Poland tel. +48 884 000 884, +48 600 273 852 fitness@outdoorfitness.pl



Impact Area Strefa upadku Zone d'Impact Area de Impacto Fallraum


13,0 m²

Required surface: lawn, bark mulch, woodchip, sand, gravel Wymagana nawierzchnia: gleba, trawnik, mulcz z kory, drobno pokrojone kawa3ki drewna, piasek, ¿wir Requis de surface: la pelouse, le paillis d'écorce, copeaux de bois, sable, gravier Superficiale necessaria: erba, pacciame di corteccia, finemente tritato pezzi di legno, sabbia, ghiaia Erforderliche Oberflächen: Gras, Rindenmulch, fein gehackt Holzstücke, Sand, Kies


355 50 150 55 Setting out point 393 93 Punkt odniesienia 0 Point de référence Punto de referencia Bezugspunkt 155




Concrete pad Fundament betonowy Dalle béton Solera de Hormigón Beton Bodenplatte











Starmax - Outdoor Fitness Center Rycerska 3 st, 83-050 Bakowo, Poland tel. +48 884 000 884, +48 600 273 852 fitness@outdoorfitness.pl



www.outdoorfitness.pl